



C of C  
JFW

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

April 6, 2005

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for *Window Treatment Panels*  
Application No. 10/032,336; Filed December 21, 2001  
Patent No. 6,832,642; Issued December 21, 2004  
Our File 048775/277064

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Thomas J. Parker  
Registration No. 42,062

TJP:mf  
Enclosures  
NYC01/7762274v1

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,832,642 B2  
DATED : December 21, 2004  
INVENTOR(S) : Titus et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4,

Line 54, "ranged" should read --arranged--.

Column 6,

Line 7, "to" should read --the--.

Line 27, "opening" should read --opening,--.

Line 42, "far" should read --for--.

Column 7,

Line 45, "seemed" should read --secured--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

PATENT NO. 6,832,642 B2

No. of add'l. copies  
@ 30¢ per page

